

**Authorized
Federal Supply
Schedule
Price List**



FSC Group 58, Part III, Section B


Special Item Numbers:

136-9
136-11
136-13
136-21
136-23

**Contractor: Scully Recording Instruments Company
A Division of Dictaphone Corp.**

Contract Number: GS-OOS-83871
Period September 18, 1970 through June 30, 1971
General Services Administration Federal Supply Service
GSA Distribution Code C-106

**Professional
Tape Recorders
and
Reproducers**



 **Scully**


Charles C. Faulkner

Government Sales
Scully Recording Instruments Company
3515 V. Street N.E. Washington D.C. 20018
Telephone (202) 832-1226
A Division of Dictaphone Corporation

Scully Professional Tape Reproducers 270 Series

The Scully 270 Long Play Reproducer . . . is the standard of excellence in automated broadcasting. Designed to run trouble-free for long periods, the 270 is an extra-rugged, heavy-duty quality reproducer. Its features include: disc brakes; transistorized, plug-in amplifiers; one-piece solid frame construction; plug-in reel hubs; automatic start torque tension control; instant access; and reversing capability.

Using 1/4" tape, the Scully 270 is a monophonic half or full-track, and stereo two or quarter-track unit. It accepts up to a 14" reel and is available at speeds of 3 3/4 & 7 1/2 ips, or 7 1/2 & 15 ips.



Special item No. 136-21

275 Series

The Scully 275 . . . a playback-only unit, was developed in answer to the Industry need for a professional, solid-state, editing machine. Its reproduce-only electronics system includes a 3-watt monitor speaker amplifier. The electronics are those of the Scully 280 without VU meter and Record capability. The transport is also the standard Scully 280 with a phone jack substituted for the Record button.

ADDRESS P.O. AS FOLLOWS:

SCULLY RECORDING INSTRUMENTS CO.
3515 V. STREET N.E.
WASHINGTON, D.C. 20018
ATTN: MR. FAULKNER

Special item No. 136-21



Scully Price Schedule Recorders and Reproducers

U.S. Gov't. price schedule for basic equipment is 1-9 units, 15 % discount from list prices; 10 or more units, 18 % from list price. 15 % discount on custom accessories, optional extras or replacement parts, for any quantity. Add \$70 to the net unit price for 50 Hz.

Special Item 136-21: Reproducers

Series	Model	Description	List	U.S. Government Price	
				1-9	10 or more
270	270	Monaural full track (1/4")	\$ 1691.00	\$ 1437.35	\$ 1386.62
	270-1	Monaural half track (1/4")	1691.00	1437.35	1386.62
	270-2	Stereo 2 track (1/4")	1797.00	1527.45	1473.54
	270-4	Stereo 1/4 track, reversing 1/4"	1903.00	1617.55	1560.46
	270-22	Monaural 1/2 track—stereo 2 track (1/4")	1935.00	1644.75	1586.70
275	275	Monaural full track (1/4")	1745.00	1483.25	1430.90
	275-1	Monaural 1/2 track (1/4")	1745.00	1483.25	1430.90
	275-2	Stereo 2 track (1/4")	2045.00	1738.25	1676.90
	275-4	Stereo 1/4 track (1/4")	2075.00	1763.75	1701.50

Special Item 136-9: Recorders

280	280	Monaural full track (1/4")	2150.00	1827.50	1763.00
	280-1	Monaural 1/2 track (1/4")	2150.00	1827.50	1763.00
	280-2	Stereo 2 track (1/4")	2795.00	2375.75	2291.90
	280-4	Stereo 1/4 track (1/4")	2795.00	2375.75	2291.90
	282-3	Stereo 3 track (1/2")	4150.00	3527.50	3403.00
M/S 280	282-4	Stereo 4 track (1/2")	4595.00	3905.75	3767.90
	M/S 280	Monaural full track (1/4")	2310.00	1963.50	1894.20
	M/S 280-1	Monaural 1/2 track (1/4")	2310.00	1963.50	1894.20
	M/S 280-2	Stereo 2 track (1/4")	2890.00	2456.50	2369.80
	M/S 280-4	Stereo 1/4 track (1/4")	2890.00	2456.50	2369.80
280 (SP/14)	M/S 282-4	Stereo 4 track (1/2")	4795.00	4075.75	3931.90
	280 (SP/14)	Monaural full track (1/4")	2380.00	2023.00	1951.60
	280-1(SP/14)	Monaural 1/2 track (1/4")	2380.00	2023.00	1951.60
	280-2 (SP/14)	Stereo 2 track (1/4")	2950.00	2507.50	2419.00
	280-4 (SP/14)	Stereo 1/4 track (1/4")	2950.00	2507.50	2419.00
284	284-8	Eight track (1")	12,450.00	10,582.50	10,209.00
	284-12	Twelve track (1")	16,500.00	14,025.00	13,530.00
288	288-8	Eight track (1") for expansion to sixteen track (2")	17,950.00	15,257.50	14,719.00
	288-12	Twelve track (2")	20,250.00	17,212.50	16,605.00
	288-16	Sixteen track (2")	24,950.00	21,207.50	20,459.00

Special Item 136-11: Custom Accessories & Optional Extras

	Model	Description	Part No.	Price List	Govt. Price
Console Mount	275	Monaural or Stereo	503400900	\$ 260.00	\$ 221.00
	280	Monaural	502400100	280.00	238.00
	280-2	Two channel	502400200	320.00	272.00
	282-3	Three channel	502400300	360.00	306.00
	282-4	Four channel	502400400	380.00	323.00
Portable Cases		(Additional Configurations available on request)			
	280/280-2	Monaural or Two channel	502500000	260.00	221.00
	282-4	Four channel	502500000-01	350.00	297.50
	Remote Control	Standard Remote Control	502210100	85.00	72.25
		Deluxe Remote Control (with tape lifter control—available only on Models with Motion Sense Control)	504210100-01	135.00	114.75
Motion Sense Control	M/S	Exclusive Scully development for increased tape handling facility—factory installation on 275 and 280 (SP/14) series (standard on 284 series)		200.00	170.00
Sync/Master	S/M	Remote switching control for selective synchronization, includes deluxe control unit.			
		Four channel	502210000	850.00	722.50
		Eight channel	504210000	1150.00	977.50
		Twelve channel	504220000	1450.00	1,232.50
	284	One Inch Recorder Reproducer	000501000	12.50	10.62
Instruction Manuals	280	Recorder/Reproducer	000502000	12.50	10.62
	284	One Inch Recorder Reproducer	000504000	12.50	10.62
	288	Two Inch Recorder Reproducer	000508000	18.00	15.30

Scully Professional Tape Recorders 280 Series

The **Scully 280 Recorder** . . . is another example of Scully professional craftsmanship. Included in its many high-performance features are: smooth action tape lifters with instant access to manual override; optional Motion Sensing; handsome control center designed with functions in operations-oriented sequence, including edit control switch, sweep loading tape path and hum shield lock. The solid state 280's have exclusive Scully plug-in head assemblies . . . for either mono or stereo recording.

Other 280 features include: patented disc brakes; optional selective synchronization for multi channel over dub effects; patented linearity circuit for super low distortion; scrape filter for recording excellence; and tapped transformers for lowest operating temperatures.


Available unmounted, in console or portable case. 280 configurations include standard 1/4" mono and stereo plus 4 track for quadrasonic use.



Special item No. 136-9

280 SP/14 Series

The **Scully 280 SP/14 Recorder** . . . includes all the many features of the standard 280s and, in addition, accepts up to 14" reels.



Special item No. 136-9

Scully Stereo Master Tape Recorder 282 Series

1/2" 4 channel. 280 track. Adjustable guides available. Synchronization stand optional.



Special item No. 136-9

288 Series

2" 12, 16 or 24 channel. available for 1" operation. Designed specifically for tape. Offers all the advantages of the 280 series plus latest features; including Motion tape-wiping control and

Special item No. 136-9



280/14 Series

Recorder . . . includes of the standard 280s and, up to 14" reels.



Scully Studio Master Tape Recorders 282 Series

1/2" 4 channel. 280 transport for 1/2" operation. Adjustable guides available for 1/4". Selective Synchronization standard. Motion Sensing optional.



Special item No. 136-9

284 Series

1" 4, 8 or 12 channel. Adjustable guides available for 1/2" operation. Selective Synchronization and Motion Sensing standard. Sync-Master® capability for remote control of record and sync function.



Special item No. 136-9

288 Series

2" 12, 16 or 24 channel. Adjustable guides available for 1" operation. New transport, designed specifically for smooth handling of wide tape. Offers all the advantages of the famed 280 series plus latest state-of-the-art innovations; including Motion-Sensing, exclusive tape-wiping control and Scully Sync-Master®

Special item No. 136-9



Authorized Service Centers:

Scully/West
1400 Coleman Avenue, Suite F17-18
Santa Clara, California 95050

Martin Audio Corporation
320 West 46th Street, 6th Floor
New York, New York 10036

Suburban Sound
4956-58 Wyaconda Road
Rockville, Maryland 20853

Audiocraft, Inc.
208 Southmead Street
Seattle, Washington 98108

Holzer Audio Engineering Company
14110 Aetna Street
Van Nuys, California 91401

Universal Magnetics, Incorporated
9207 Sovereign Row
Dallas, Texas 75207

Music Center, Incorporated
1009 E. Sunrise Boulevard
Ft. Lauderdale, Florida 33901

Gill Custom House, Incorporated
1043 East 95th Street
Chicago, Illinois 60619

Scully Replacement Parts Schedule and Order- ing Information

Guarantee. All necessary adjustments of machines procured hereunder, not occasioned by accident or misuse, shall be made by the contractor at his own expense, including transportation costs, if any, during the 90-day period after delivery. All machines procured hereunder are guaranteed for a period of 1 year from date of delivery. During the guarantee period, all broken or defective parts not caused by accident or misuse through fault or negligence by the Government, must be replaced (including labor and parts) at the contractor's expense, and including transportation costs, if any.

Replacement Parts Schedule

Special Item No.	Replacement Parts Description	U.S. Gov't Price
136-13	Repair parts for all Scully Recorders/Reproducers (280, 282, 284, 288 series)	15 % discount from list April 1, 1970
136-23	Replacement parts for all Scully Reproducers (270, 275 series)	15 % discount from list April 1, 1970

Complete current price list available on request.

Information For Ordering:

Delivery: Delivery within 60 days from receipt of order. Free delivery to the 50 states, District of Columbia and Puerto Rico.

Overseas Orders: Orders originating from overseas installations should be directed to Export Department, Scully Recording Instruments Company, 480 Bunnell Street, Bridgeport, Connecticut 06607.

Packing: All packing to conform with best commercial practice. Export packing available at additional cost. Contact Company Offices, Bridgeport, Connecticut, for export packing information.

Installation Instructions: Installation and instructions for all Scully equipment included with shipment.

Electric Current: Scully Recording equipment normally operates on 105-125 Volts, 60 cycles per second, AC, single phase. 50 cycles operation available at additional cost of \$70.00 per unit. Equipment has been submitted to Underwriters' Laboratories for approval and does not meet requirements of MIL-1-7623 (Navy) and MIL-1-16910 (ships) for radio interference.

How to Place Order:

1. Select items described in this catalog.
2. Government Agency prepares purchase order, including all the following information:
 - a. Model number
 - b. Head configuration (full, half track or stereo)
 - c. Tape speed
 - d. Tape width
 - e. 50 or 60 cycle operation
 - f. Price
 - g. Shipping instructions

3. Submit order directly to Company Office, Bridgeport, Connecticut.
4. If any equipment is received in damaged condition, the Government Agency will immediately advise Scully by collect wire, indicating Purchase Order Number, Serial Number of equipment, and extent of damage and request disposition instructions.

Terms of Payment: 2% discount allowed for payment within 30 days from invoice date.

Technical Information: For more detailed technical information than presented in this catalog, submit specific questions to: Technical Director, Scully Recording Instruments Company, 480 Bunnell Street, Bridgeport, Connecticut 06607.

Servicing Points: Mechanical servicing of Scully Tape Reproducers and Recorders/Reproducers is available from any of the Authorized Service Centers, or from the main manufacturing plant at 480 Bunnell Street, Bridgeport, Connecticut 06607. The Authorized Service Centers will also provide replacement parts for normal spare parts requirements. A complete supply of all parts is immediately available by writing, wiring or phoning: Service Director, Scully Recording Instruments Company, 480 Bunnell Street, Bridgeport, Connecticut 06607. Telephone (203) 335-5146.

Payment address:

► Scully

Scully Recording Instruments Company
A Division of Dictaphone Corporation
480 Bunnell Street, Bridgeport,
Connecticut 06607 (203) 335-5146